




DMX Pixel Ball

2"(50mm)diameter dmx led ball)



www.salvin.biz

308-B Route 28. Kingston New York 12401 845-340-0489

SALVIN DDesign

Package Contents

Your package should contain these fixtures and accessories as follows:

DMX LED ball

T cable

I cable

Other accessories you have chosen like power supply, dmx controller

This user manual

If any item is missing or damaged, please contact your shipper & Salvin Design immediately, Do not take any action without contact us. To be sure that you are using the latest revision of the [DMX PixelBall](#) manual. Please visit the Download section of Salvin Design website at www.salvin.biz for confirmation.

Warranty

Salvin warrants that the product will be free from defects in materials and workmanship for one year from the date of shipment from Salvin Design. If the product proves defective within the warranty period, Salvin Design will repair or replace at its sole discretion, the defective product. If the failure is due to an operator, the user accepts the responsibility to pay any costs incurred in the diagnosis of the hardware, parts or shipping from factory.

Features

Constant current driver is designed on the dmx led ball, which can contribute lots to protect lamp's life .

50mm diameter balls with white opaque diffuser giving 360° viewing, pitch customized.

DMX address manually

Full speed video and graphics

Environment friendly, no harsh glare and buzzing noise, no flicker.

Integrates with Phantom and Chimera and Madrix

Applications

Stage video elements for intimate or large concert productions

Interior design for clubs, museums, themed environments

Exhibitions stands

Television awards and game shows


Video Art projects

SALVIN DDesign

Technical Parameters

Model	LW-RGBWBM CBD50-D0301-20WC10M10F
Diameter	50mm
LED	3 pcs SMD 5050
Beam Angle	360
Voltage	DC 12V
Power	0.72W
Cover	Milky
Pitch	Minimum 200mm or customized
Protocol	DMX 512
Address setting	Manually(with LW-DW100)
Control Load	170 pixels(512 channels) for one output
Max per String	50 pcs

Dimension




www.salvin.biz

308-B Route 28. Kingston New York 12401 845-340-0489

SALVIN DDesign

Connection Guide



www.salvin.biz

308-B Route 28. Kingston New York 12401 845-340-0489